



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 3 N

R 2 W

RECORD
OF
FIELD NOTES

South Boundary.

West On the South Boundary of sec. 36 T. 9 N. R. 2 W.
 40.00 At Oak 20 in diam. stands for the ca of 70 ew
 80.00 Set a post for the ca of sec. 35 T. 9 N. R. 2 W. from which
 Sugar. 10 in diam. stands. N 63 E. 13 1/2 m. dist. 12,
 Buck. 13 1/2 " " S 80 W. 35 " "
 2nd rate upland timber Oak, Buck, &c.

West On the South Boundary of sec. 35 T. 9 N. R. 2 W.
 24.00 To a Buck, 8 in diam. in the line
 40.00 Set a post from which, = A Buck. in
 diam. stands for the ca of 70 ew
 80.00 Set a post for the ca of sec. 34 T. 9 N. R. 2 W. from which,
 N. Ash. 8 in diam. stands. S 57 W. 15 1/2 m. dist. 12,
 Sugar. 7 1/2 " " S 49 E. 14 1/2 "
 Land poor hills timber Buck, Oak, &c.

West On the South Boundary of sec. 34 T. 9 N. R. 2 W.
 40.00 Set a post from which,
 Red Oak. 16 in diam. stands. N 65 E. 9 1/2 m. dist. 12,
 Buck. 12 " " S 11 E. 9 "
 80.00 Set a post for the ca of sec. 33 T. 9 N. R. 2 W. from which,
 B. Buck. 7 in diam. stands. N 84 E. 21 m. dist. 12,
 Buck. 18 " " S 42 W. 18 "
 Last 1/4 of a mile down a small drain 4 m. dist. in a
 3rd rate hill land timber Buck, Oak, &c. The Homestead
 I have sold 125 acres North of post. Dec. 13 1804.

West On the South Boundary of sec. 33 T. 9 N. R. 2 W.
 40.00 Set a post from which,
 Buck. 10 in diam. stands. N 71 W. 17 1/2 m. dist. 12,
 Lg. 7 1/2 " " S 91 E. 17 "
 80.00 Set a post for the ca of sec. 32 T. 9 N. R. 2 W. from which,

South Boundary.

West On the South Boundary of sec. 33 T. 3. N. R. 2 W.
 40,00 A 1/2 Oak 20 in diam. stands for the ca of 1/4 sec
 80,00 Set a post for the ca of sec. 33 T. 3. N. R. 2 W. from which
 Sugar. 10 in diam. stands. N 63 E. 13 links east, 10,
 Buck. 13 " " S 80 W 35 " "
 2nd rate upland timber Oak, Buck, &c.

West On the South Boundary of sec. 35 T. 3. N. R. 2 W.
 24,00 To a Buck. 8 in diam. with line
 40,00 Set a post from which, — A Buck. — in
 diam. stands for the ca of 1/4 sec
 80,00 Set a post for the ca of sec. 34 T. 3. N. R. 2 W. from which,
 N 45 E. 8 in diam. stands. S 57 W. 15 links east, 10,
 Sugar. 7 " " S 49 E. 14 " "
 Land poor hills timber Buck, Oak, &c.

West On the South Boundary of sec. 34 T. 3. N. R. 2 W.
 40,00 Set a post from which,
 Red Oak, 16 in diam. stands. N 65 E. 9 links east, 10,
 Buck. 12 " " S 11 E. 9 " "
 80,00 Set a post for the ca of sec. 33 T. 3. N. R. 2 W. from which,
 B. Buck. 7 in diam. stands. N 84 E. 21 links east, 10,
 Buck. 18 " " S 42 W. 18 " "
 Last 1/4 of a mile down a small drain 4 links mid
 3rd rate hills land timber Buck, Oak, &c. The Homestead
 I. Lin. fell 125 links North of post. Dec. 13 1804.

West On the South Boundary of sec. 33 T. 3. N. R. 2 W.
 40,00 Set a post from which,
 Buck. 10 in diam. stands. N 77 W. 17 links east, 10,
 Do. 7 " " S 91 E. 17 " "
 80,00 Set a post for the ca of sec. 32 T. 3. N. R. 2 W. from which,

T. N. 3. N. R. N. 27 D. 2nd Mm. Ind.

Beck 12 in dia: bears N 45 E 8 the dist. 12,
 No 7, " " S 7 E 18, "
 Description of lands omitted

West On the South Boundary of sec 32 T. 3. N. R. 27 W
 40.00 Set a post from which

Poplar 8 in dia: bears S 82 W 25 the dist. 12,
 No other tree near

80.00 Set a post for the cor. of sec 31 & 32 from which,
 Gum 20 in dia: bears N 79 E 4 the dist. 12,
 B Oak 7 " " " S 79 W. " "
 Lands 3rd rate;

West On the South Boundary of sec 31. T. 3. N. R. 27 W
 40.00 Set a post from which

Elm 8 in dia: bears S 52 W 10 the dist. 12,
 Buck 11, " " " N 52 E 10, "

80.00 In the Township corner. S. 3. 27. 3. N. R. 102 W
 Lands 3rd rate; Timber Oak, &c. Dec. 15. 1864
 Surveyed by

Thos J. Stone.

Depy Surveyor

East Boundary.

North On the East Boundary of sec 36 T. 3. N. R. 27 W
 31.50 To a W Oak 36 in dia: in the river.

40.00 A Buck 12 in dia: marked for the new cor

29.00 To a W Oak 10 in dia: in the river

80.00 Set a post for the cor. of sec 25 & 36 from which,

Sugar 8 in dia: bears S 30 W 22 the dist. 12,
 Poplar 7, " " " N 19 W 13, "

Lands 2nd rate hill Timber Oak, Gum poplar,
 Sugar 13 T W Walnut, &c.

T. N. 3. N. R. N. 27 D. 2nd Mm. Ind.

North On the East Boundary of sec 35 T. 3. N. R. 27 W

32.50 To a W Oak 18 in dia: in the river.

40.00 Set a post from which

N Walnut, 7 in dia: bears N 11 E 18 the dist. 12,
 Sassafras 7, " " " N 6 W 14, "

73.00 To a B Oak 36 in dia: in the river

80.00 Set a post for the cor. of sec 24 & 35 from which,

Sugar 12 in dia: bears N 10 E 16 the dist. 12,
 W Oak 12 " " " S 77 W 30 " "

Lands flat ridge 1st rate;

North On the East Boundary of sec 24 T. 3. N. R. 27 W

34.28 To a W Oak 24 in dia: in the river.

40.00 Set a post from which

Poplar 30 in dia: bears S 3 E 21 the dist. 12,
 Buck 16 " " " N 51 W 23, "

57.65 To a W Oak 18 in dia: in the river.

80.00 Set a post for the cor. of sec 13 & 24 from which,

Buck 6 in dia: bears N 29 W 22 the dist. 12,
 Pl. 18 " " " N 63 E 32, "

Lands &c. 3rd rate; Timber Buck, Oak, &c. Upland

North On the East Boundary of sec 13 T. 3. N. R. 27 W

25.60 To a Buck 18 in dia: in the river.

41.00 Set a post from which

Gum 20 in dia: bears N 29 E the dist. 12,
 Dogwood " " " S 8 E 18 " "

63.30 To a Poplar 40 in dia: in the river.

80.00 Set a post for the cor. of sec 12 & 13 from which,

Buck 16 in dia: bears N 22 W 30 the dist. 12,
 W Oak 18 " " " N 16 E 35, "

Lands 2nd & 3rd rate; Timber Buck, Poplar, Oak, &c.

T. N. 3 N. R. N. 2 W. 2nd Mer. Sec.

Buck 12 in dia: bears N 45 E. 8 lbs each, 10,

Do 7 1/2 " " S 7 E 18. "

Description of lands omitted

West On the South Boundary of sec. 32 T. 3. N. R. 2 W.

40.00 Set a 1/2 sup post from which,

Poplar 8 in dia: bears S 82 W. 35 lbs each, 10,

no other tree near

80.00 Set a post for the cor. of sec. 31 & 32 from which,

Gum 20 in dia: bears N 79 E. 4 lbs each, 10,

Oak 7 " " " S 77 W. - " "

Lands 3rd rate;

West On the South Boundary of sec. 31 T. 3. N. R. 2 W.

40.00 Set a 1/2 sup post from which,

Oak 8 in dia: bears S 52 W. 10 lbs each, 10,

Buck 11 " " " N 52 E. 10. "

80.00 To the Township corner. S. 2 & 3. N. R. 1 & 2 W.

Lands 3rd rate; Timber Oak, &c. Dec. 15. 1864

Surveyed by

J. J. Stone.

Dep. Surveyor

East Boundary.

North On the East Boundary of sec. 36 T. 3. N. R. 2 W.

31.50 To a W Oak 36 in dia: in the river.

40.00 At Buck 12 in dia: marked for the new cor

49.00 To a W Oak 10 in dia: in the river

80.00 Set a post for the cor. of sec. 25 & 36 from which,

Sugar 8 in dia: bears S 30 W. 22 lbs each, 10,

Poplar 7 " " " N 19 W. 13. "

Lands 2nd rate hill Timber Oak, Gum poplar,

Sugar 13 & 17 Walnut, &c.

T. N. 3 N. R. N. 2 W. 2nd Mer. Sec.

North On the East Boundary of sec. 35 T. 3. N. R. 2 W.

32.50 To a W Oak 18 in dia: in the river.

40.00 Set a 1/2 sup post from which,

W Walnut 7 in dia: bears N 11 E. 18 lbs each, 10,

Shallows 7 " " " N 16 W. 14. "

73.00 To a W Oak 36 in dia: in the river

80.00 Set a post for the cor. of sec. 24 & 35 from which,

Sugar 12 in dia: bears N 10 E. 16 lbs each, 10,

Oak 12 " " " S 77 W. 30. "

Lands flat ridge 1st rate.

North On the East Boundary of sec. 24 T. 3. N. R. 2 W.

34.28 To a W Oak 24 in dia: in the river.

40.00 Set a 1/2 sup post from which,

Poplar 30 in dia: bears S 83 E. 21 lbs each, 10,

Buck 6 " " " N 51 W. 23. "

57.65 To a W Oak 18 in dia: in the river.

80.00 Set a post for the cor. of sec. 13 & 24 from which,

Buck 6 in dia: bears N 29 W. 22 lbs each, 10,

Do 18 " " " N 63 E. 32. "

Lands &c. 3rd rate; Timber Buck, Oak, &c. Upland?

North On the East Boundary of sec. 13 T. 3. N. R. 2 W.

25.60 To a Buck 18 in dia: in the river.

41.00 Set a 1/2 sup post from which,

Gum 20 in dia: bears N 10 E. 29 lbs each, 10,

Dogwood " " " S 8 E. 18. "

63.30 To a Poplar 40 in dia: in the river.

80.00 Set a post for the cor. of sec. 12 & 13 from which,

Buck 16 in dia: bears N 22 W. 50 lbs each, 10,

Oak 18 " " " N 16 E. 35. "

Lands & 2nd & 3rd rate; Timber Buck, Poplar, Oak, &c.

T. N. 3 N. R. N. 27 D. 2nd Mm. Ind. 2

North Return Sec. 23 & 24 T. 3. N. R. 27.
 40.00 Set a 7th suppost from which
 Hick 30 in dia. bears N 65 E. 5 1/2 mts dist; 73
 Dogwood 10 " " S 65 W. 26 " "
 57.50 To a Buck 10 in dia. in the mts
 80.00 Set a post for the cor. of sec. 13 14 23 & 24 from which
 Dogwood 10 in dia. bears N 40 E. 15 1/2 mts dist; 12
 R. Oak 30 " " S 45 W. 18 " "
 Lands 2nd 13th rate; Buck, & Oak. Hills

West Return Sec. 13 & 24 T. 3. N. R. 27.
 40.00 Set a 7th suppost from which
 Buck 12 in dia. bears N 35 E. 15 1/2 mts dist; 13
 W Oak 18 " " N 12 W. 16 " "
 80.00 Set the post cor. of sec. 13 14 23 & 24
 North of 3rd rate Hill lands.

North Return Sec. 14 & 13 T. 3. N. R. 27.
 21.50 To a Hick 15 in dia. in the mts.
 40.00 Marked the new cor. on a Buck 10 in dia.
 56.45 To a Poplar 36 in dia. in the mts
 80.00 Set a post for the cor. of sec. 11 12 13 & 14 from which
 Buck 14 in dia. bears S 78 W. 37 1/2 mts dist; 12
 Do. 14 " " N 72 E. 36 " "
 Lands 1st & 2nd rate; Hills; Timber Buck, Oak,
 Poplar, &c.

West Return Sec. 12 & 13 T. 3. N. R. 27.
 40.00 Set a 7th suppost (from which) Marked
 the new cor. on a Poplar 36 in dia. in a Poplar thicket
 on a Ridge
 80.00 Set the post cor. of sec. 11 12 13 & 14

T. N. 3 N. R. N. 27 D. 2nd Mm. Ind. 2

North Return Sec. 11 & 12 T. 3. N. R. 27 D. 2nd Mm.
 25.18 To a Sugar 12 in dia. in the mts.
 40.00 Set a 7th suppost from which
 W Oak 18 in dia. bears S 69 E. 14 1/2 mts dist; 12
 Do. 12 " " N 10 E. 14 " "
 74.30 Struck Freeman's line & set a post for the cor. of sec.
 Sec. 11 & 12 from which a
 Buck 12 in dia. bears N 68 W. 28 1/2 mts dist; 12
 Maple 10 " " S 21 E. 31 " "
 Struck oak upland; Sink Hole; Timber Buck,
 Sugar & Oak, &c.

North Return Sec. 11 & 12 T. 3. N. R. 27.
 39.01 To a Buck 10 mts. ind, corner W.
 40.00 Set a 7th suppost
 80.00 Set a post for the cor. of sec. 11 & 12 from which
 Hick 16 in dia. bears S 50 E. 4 1/2 mts dist; 12
 W Oak 8 " " S 81 W. 15 " "
 This mile is over hilly lands; Timber Oak, & Poplar, &c.

East On a Random line between Sec. 1 & 12 T. 3. N. R. 27.
 27.00 To a Buck 10 mts. ind, corner S.
 40.00 Set a 7th suppost
 82.02 Intersect the East Boundary 104 links North of the
 post cor. of sec. 1 & 12. Lands the same, as last mile.

West On the same line between Sec. 1 & 12 T. 3. N. R. 27.
 41.02 Set the 7th suppost at the ar. dist. in the mts. from
 from which Buck 10 in dia. bears S 50 W. 12 1/2 mts dist
 under a Do. 9 " " North 17 " "
 82.04 To the cor. of sec. 1 2 11 & 12

North Return Sec. 1 & 2 T. 3. N. R. 27.
 1.10 To a W Oak 20 in dia. in the mts

T. N. 3. N. R. N. 2 W. 2nd Mm. Ind.

28.00 To a Brook 10 miles mid, Coma N.
 40.00 Set a $\frac{1}{2}$ supert from whist,
 Buck. 20 in dist. beam S 57 E. 13 miles dist. to,
 W Oak. 20 " " " S 44 E. 43 " "
 79.40 Intercept the North Boundary 197 miles West of the post
 Co of sec 35 & 36. T. 4 N. R. 2 W. & set apart for the
 " " " 143 from whist,
 Nick 10 in dist. beam S 41 E. 25 the north, to
 Logwood, Co. " " " S 41 W. 17 " "
 Same as the same.

North Return Sec 34 & 35. T. 3. N. R. 2 W.
 40.00 Set a $\frac{1}{2}$ supert from whist,
 Sugar. 8 in dist. beam S 32 E. 13 the north, to
 B Oak. 20 " " " S 24 W. 11 " "
 80.00 Set apart for the Co of sec 26, 27, 34 & 35 from whist,
 W Oak. 18 in dist. beam. S 10 E. 4 the north, to
 Do. " " " " S 37 E. 28 " "
 Same with, 3rd rate; same the Oak, Logwood. V.

West Return Sec 26 & 35. T. 3. N. R. 2 W.
 40.00 Marked the $\frac{1}{2}$ supert on a Gum. 24 in dist.
 80.00 Hit the post Co of sec 26, 27, 34 & 35
 3rd rate; upland; Timber Buck, Oak, Gum, Nick

North Return Sec 26 & 27. T. 3. N. R. 2 W.
 35.00 To a Buck 24 in dist. in the line
 40.00 Set a $\frac{1}{2}$ supert from whist,
 Buck. 8 in dist. beam S 33 E. 13 the north, to,
 Do. " " " " S 69 W. 17 " "
 60.80 To a Oak 36 in dist. in the line.
 80.00 A Poplar 14 in dist. stand further Co of sec 22,
 23, 26 & 27. Same Kelly 3rd rate; same the Oak,

T. N. 3. N. R. N. 2 W. 2nd Mm. Ind.

Same Buck, & Poplar, &c.

West Return Sec 23 & 26. T. 3. N. R. 2 W.
 40.00 Marked the $\frac{1}{2}$ supert on a W Oak, 12 in dist.
 80.00 Hit the post Co of sec 22, 23, 26 & 27
 Same 3rd rate Buck, & Oak, Hills

North Return Sec 22 & 23. T. 3. N. R. 2 W.
 32.00 To a Nick 18 in dist. in the line
 40.00 Set a $\frac{1}{2}$ supert from whist,
 Buck. — in dist. beam S 47 E. 29 the north, to,
 Poplar. 4 " " " " S 26 W. 9 " "
 80.00 Set apart for the Co of sec 14, 15, 22 & 23 from whist,
 Buck 18 in dist. beam. S 60 W. 8 the north, to,
 Do. 10 " " " " S 81 E. 24 " "
 Same & timber same as before

West Return Sec 14 & 23. T. 3. N. R. 2 W.
 40.00 Set a $\frac{1}{2}$ supert from whist,
 Maple. 10 in dist. beam S 57 W. 36 the north, to,
 Buck 12 " " " " S 7 W. 30 " "
 80.00 Hit the post Co of sec 14, 15, 22 & 23.
 Same 3rd rate; Oak, & Logwood, upland.

North Return Sec 14 & 15. T. 3. N. R. 2 W.
 27.00 To a Brook 30 miles mid, Coma N. 60 W.
 29.00 To a Buck, 18 in dist. in the line.
 40.00 Set a $\frac{1}{2}$ supert (from whist) A Logwood
 Co in dist. stand further Co of $\frac{1}{2}$ sup.
 46.00 To a Buck 9 in dist. in the line
 80.00 Set apart for the Co of sec 14, 15, 22 & 23 from whist,
 Red Oak 14 in dist. beam S 60 W. 13 the north, to,
 Do. 13 " " " " S 98 E. 12 " "

I N^o 3. N R N^o 277 2nd Mm. Ind^a

Sands & timber same as last mile.

West Return Sur 11714 I 3 N R 277.

40.00 Set a post support from white,

Beck 16 in dia^r beam A42 N. 20 lbs ash & a

Log 14 " " " A69 E. 34 " "

80.00 Set the post co of sur 10 11 14 & 15.

Sands 2nd 13th rate Buck & Oak, Nells.

North Return Sur 10711 I 3 N R 277.

31.50 To a sugar. 8 in dia^r in the line40.00 Set a post support from white, Sugar, 8 in
dia^r. Stands for the co of 1st 2nd.75.50 To a Poplar. 11 in dia^r in the line.

80.00 Set a post for the co of sur 2, 3, 10 & 11 from white,

Beck 12 in dia^r beam A43 E. 18 lbs ash & a

Log 20 " " " A7 E. 29 " "

Sands Hilby & 2nd rate; Timber Oak, Buck & some Poplar

East Return Sur 2711 I 3 N R 277

40.00 Set a post support from white,

Beck 14 in dia^r beam A50 E. 20 lbs ash & a

Log 23 " " " A75 E. 54 " "

65.00 Strip Freeman's line & set a post for the co of
fract Sur 2711 from white,Beck 14 in dia^r beam A50 E. 20 lbs ash & a

Log 23 " " " A75 E. 54 " "

Sands 2nd rate upland; Timber Oak, Buck,
Oak, &c.

West Return Sur 1711 I 3 N R 277. On a Random.

40.00 Set a timber post

82.18 Set out the N R line 166 lbs North of the post co
of sur 2, 3, 10 & 11.I N^o 3. N R N^o 277 2nd Mm. Ind^a

East On the line line between Sur 2711 I 3 N R 277.

41.09 Set the timber post support at the ar ditch on the line
from white. 13th about 6 in dia^r beam A7 N. 6 lbs ash
and an Elm. 6 " " " A26 N. 7 " "

82.18 Set the co of sur 1, 2, 11 & 12

North Return Sur 273 I 3 N R 277.

8.00 To a Beck 6 in dia^r in the line.24.00 Set a post on Freeman's line for the co of fract Sur
273 from white,Beck 24 in dia^r beam A9 E. 25 lbs ash & a

Log " " " A46 N. 50 " "

Sands made timber same as last mile. Dec. 19.

North Return Sur 273 I 3 N R 277.

40.00 Set a post support from white,

Oak 20 in dia^r beam East 8 lbs ash & a

80.50 Set out the N R line 350 lbs West of the post

co of sur 34 & 35. I 4 N R 277 and set a post

" " " 273 from white,

Beck 12 in dia^r beam A45 N. 18 lbs ash & a

Log 15 " " " A41 N. 17 " "

Sands Hilby very.

North Return Sur 33 & 34 I 3 N R 277.

9.30 To a Beck 14 in dia^r in the line.

40.00 Set a post support from white,

Log 15 in dia^r beam A71 E. 10 lbs ash & a

Sugar 8 " " " A80 N. 21 " "

61.20 To a Hick 12 in dia^r in the line.

80.00 Set a post for the co of sur 27, 28, 33 & 34 from white

a Beck 14 in dia^r beam A4 E. 30 lbs ash & a

Log 8 " " " A55 E. 42 " "

Sands flat ridges, 2nd rate; Timber Oak, Buck, &c.

I. N. 3. N. R. N. 27. Dm. Mm. Ind.

West	Return Sat. 27 1834 I. 3. N. R. 27.
40.00	Set a 1/2 suppost from whist,
	Beck. 12 in dist. from S13 E. 16 W. dist. 1/2,
	20. 10. 1. 1. S11 E. 17. 1. 1.
80.00	Set the post on of sec. 27. 28. 33. 1834.
North	Return Sat. 27 1838 I. 3. N. R. 27.
5.50	To a W. Ash. 36 in dist. in the line.
40.00	Set a 1/2 suppost from whist,
	Beck. 10 in dist. from S51 E. 10 W. dist. 1/2,
	W. Oak 11. 1. 1. S47 W. 14. 1. 1.
79.15	To a Beck. 12 in dist. in the line.
80.00	Set a post for the cor. of sec. 21. 22. 27. 1838 from whist,
	Beck. 18 in dist. from S13 E. 24 W. dist. 1/2,
	Dogwood 7. 1. 1. S23 E. 26. 1. 1.
	Land & timber same as last mile.
West	Return Sat. 22 1837 I. 3. N. R. 27.
40.00	Set a 1/2 suppost from whist,
	Red Oak. 16 in. dist. from S41 E. 13 W. dist. 1/2,
	W. Oak 20. 1. 1. S48 W. 30. 1. 1.
80.00	Set the post on. of sec. 21. 22. 27. 1838.
	Land 2nd 1/2 rate Beck, Head Hill
North	Return Sat. 21 1839 I. 3. N. R. 27.
28.50	To a W. Oak. 24 in dist. in the line.
40.00	Set a 1/2 suppost from whist,
	Beck. 30 in dist. from S32 W. 8 W. dist. 1/2,
	20. 20. 1. 1. S33 E. 17. 1. 1.
67.50	To a Beck. 14 in dist. in the line.
80.00	Set a post for the cor. of sec. 15. 16. 21. 1839 from whist,
	Beck. 20 in dist. from S10 W. 40 W. dist. 1/2,
	20. 10. 1. 1. S56 E. 32. 1. 1.

I. N. 3. N. R. N. 27. Dm. Mm. Ind.

	Face of the land; timber soil; &c. same as last mile.
West	Return Sat. 15 1839 I. 3. N. R. 27.
40.00	Set a 1/2 suppost from whist,
	Beck. 18 in dist. from S30 W. 9 W. dist. 1/2,
	20. 20. 1. 1. S40 W. 20. 1. 1.
80.00	Set the post on of sec. 15. 16. 21. 1839.
	Land flat Oak. Ridge
North	Return Sat. 15 1840 I. 3. N. R. 27.
7.00	To a Sugar. 18 in dist. in the line.
40.00	Set a 1/2 suppost from whist,
	Beck. 20 in dist. from S56 E. 23 W. dist. 1/2,
	Dogwood 7. 1. 1. S52 W. 14. 1. 1.
49.25	To a Beck. 9 in dist. in the line.
80.00	Set Beck. 11 in dist. from the cor. of sec. 9. 10. 15 1840.
	Land & timber same as last mile.
West	Return Sat. 10 1845 I. 3. N. R. 27.
10.50	To a Brook 20 rods out, corner on
40.00	Marked the 1/2 suppost on a Beck. 20 in dist.
80.00	Set the post on of sec. 9. 10. 15 1846.
	Land 3rd rate; Beck, Hill.
North	Return Sat. 9 1840 I. 3. N. R. 27.
32.00	To an S. Maple. 18 in dist. in the line.
40.00	Set a 1/2 suppost from whist,
	W. Oak. 8 in dist. from S11 E. 8 W. dist. 1/2,
	20. 1. 1. 1. S32 W. 9. 1. 1.
46.50	To an Ash. 8 in. dist. in the line.
80.00	Set Beck. 7 in dist. from the cor. of sec. 3. 4. 9 1840.
	Face of the land and timber &c. same as last mile.

T. N. 3 N. R. N. 2 W. 2nd M. Ind.

Nest Between Sec 3 & 10 T. 3. N. R. 2 W.
 40.00 Set a 1/2 supert from whist,
 Buck. 20 in dia. beam. 17 N. 20 lbs. ash, 20
 Do. 8 " " " 162 E. 25 " "
 42.50 To a Rm. 40 links mid, Conner N
 80.00 To the cor of sec 3. 4. 9 110.
 Lands & timber same as last mile.

North Between Sec 3 & 4 T. 3. N. R. 2 W.
 12.00 To a Rm. 30 links mid, Conner N
 15.50 To a Rm. 11 in dia. in the mid,
 40.00 Set a 1/2 supert from whist,
 B. Oak. 7 in dia. beam. 131 E. 17 links ash, 20
 Do. 10 " " " 110 N. 14 " "
 50.70 Enter cut Freeman's line and set apart for the cor.
 of sec. 3 & 4 from whist,
 Buck 30 in dia. beam. 145 N. 18 lbs. ash, 20
 Sugar " " " 182 E. 23 " "
 Lands & timber same as above.

North Between Sec 3 & 4 T. 3. N. R. 2 W.
 40.00 To the 1/2 supert.
 77.75 Enter cut to the Rm. 480 lbs. West of the first cor
 of sec. 33 & 34. T. 4. N. R. 2 W. and set apart for the cor
 of sec. 3 & 4 from whist,
 Poplar. 8 in dia. beam. 148 E. 8 lbs. ash, 20
 Do. 9 " " " 135 E. 13 " "
 Land very hilly, Timber Oak, Buck, Hickory &c.

North Between Sec 32 & 33 T. 3. N. R. 2 W.
 40.00 Set a 1/2 supert from whist,
 13 Walnut 7 in dia. beam. 119 E. 5 lbs. ash, 20
 Sassafras 7 " " " 114 " "
 46.00 To Brook 15 links mid, Conner E.

T. N. 3 N. R. N. 2 W. 2nd M. Ind.

73.00 To Sugar. 17 in dia. in the mid.
 77.50 To a Brook. 40 links mid, Conner 2 E.
 80.00 Set apart for the cor of sec 28. 29. 32 & 33 from whist,
 Buck. 8 in dia. beam. 183 N. 25 lbs. ash, 20
 Poplar. 30 " " " 198 E. 24 " "
 Lands hilly, 13rd rate, Conner few Oak, &c.

Nest Between Sec 28 & 33 T. 3. N. R. 2 W.
 40.00 Set a 1/2 supert from whist,
 Sugar. 12 in dia. beam. 163 E. 15 lbs. ash, 20
 Elm. 6 " " " 175 N. 13 " "
 60.00 To a Rm. 15 lbs. ash, Conner E.
 80.00 Set the first cor of sec. 28. 29. 32 & 33
 Lands from Brook, full Oak, Hills.

North Between Sec 28 & 29 T. 3. N. R. 2 W.
 31.01 To a N Oak. 36 in dia. in the mid.
 40.00 Set a 1/2 supert from whist,
 Elm. 8 in dia. beam. 167 E. 15 lbs. ash, 20
 Buck. 8 " " " 135 N. 11 " "
 67.00 To a Brook 12 in dia. in the mid.
 80.00 Set apart for the cor of sec 20. 21. 28 & 29 from whist,
 Buck 11 in dia. beam. 164 E. 13 lbs. ash, 20
 " " " 137 N. 8 " "
 Lands hilly, 13rd rate, Timber Oak chiefly.

Nest Between Sec 21 & 25 T. 3. N. R. 2 W.
 40.00 Set a 1/2 supert from whist,
 Buck. 12 in dia. beam. 160 N. 20 lbs. ash, 20
 Do. 30 " " " 145 E. 28 " "
 80.00 Set the first cor of sec 20. 21. 28 & 29.
 Land 3rd rate Buck, Oak, Hills.

I. N. 3. N. R. N. 272nd Mm. Ind.

North Return Dec. 20th 1891 I. 3. N. R. 272nd
 40.00 Set a post for the cor of 1/4 sec from whitts,
 N. Walnut 10 in dia. beam. N 48 E. 7 1/2 the dist. to,
 Buck. 11 " " " " N 22 W 32 " "
 69.50 To a Poplar 24 in dia. in the line.
 80.00 Set a post for the cor of sec. 16, 17, 21 & 22 from whitts,
 Buck 12 in dia. beam. N 37 W 28 1/2 the dist. to,
 Do. 10 " " " " S 15 E 10 " "
 Sands & timber same as above.

West Return Dec. 16th 1891 I. 3. N. R. 272nd
 40.00 Set a post for the cor of 1/4 sec from whitts,
 Buck. 6 in dia. beam. N 37 W 17 1/2 the dist. to,
 Do. 12 " " " " S 6 W 24 " "
 80.00 Set the post cor of sec. 16, 17, 21 & 22.
 Same 2nd & 3rd rate; Buck, & Oak, & H. b.

North Return Dec. 16th 1891 I. 3. N. R. 272nd
 13.00 To a Good Spring corner. N 45 W.
 36.25 To a Buck. 11 in dia. in the line.
 40.00 Set a post for the cor of 1/4 sec. from whitts,
 Buck 11 in dia. beam. S 62 W 10 1/2 the dist. to,
 66.00 To a Buck. 18 in dia. in the line.
 80.00 Set a post for the cor of sec. 8, 9, 16, 17 from whitts,
 Sugar. 8 in dia. beam. S 82 E 10 1/2 the dist. to,
 Dogwood 7 " " " " N 82 W 15 " "
 Sands & timber same as last met.

West Return Dec. 9th 1891 I. 3. N. R. 272nd
 40.00 Set a post for the cor of 1/4 sec from whitts, Buck 10 in dia.
 It runs for the cor of 1/4 sec
 80.00 Set the post cor of sec. 8, 9, 16, 17.
 Sand hilly 2nd rate; Timber Oak & some Buck

I. N. 3. N. R. N. 272nd Mm. Ind.

North Return Dec. 8th 1891 I. 3. N. R. 272nd
 31.85 To a Sugar. 15 in dia. in the line
 40.00 Set a post for the cor of 1/4 sec from whitts,
 Poplar 8 in dia. beam. S 38 W 9 1/2 the dist. to,
 Do. " " " " N 47 W 23 " "
 77.75 To a Hick. 18 in dia. in the line.
 80.00 Set a post for the cor of sec. 4, 5, 8 & 9 from whitts,
 Sugar. 9 in dia. beam. N 17 E 23 1/2 the dist. to,
 Do. 7 " " " " S 74 E 16 " "
 Sands on to timber same as last met.

West Return Dec. 4th 1891 I. 3. N. R. 272nd
 30.00 To a Run 50 units m. d., Come I. W.
 40.00 Set a post for the cor of 1/4 sec from whitts. A Buck. 18 in dia.
 It runs for the cor of 1/4 sec
 75.00 To a Run 50 units m. d., Come N 45 W.
 80.00 To the post cor of sec. 4, 5, 8 & 9
 Sand hilly Timber Buck, Oak & c. 2nd rate.

North Return Dec. 4th 1891 I. 3. N. R. 272nd
 10.00 To a Run 50 units m. d., Come N.
 40.00 To a Sugar. 8 in dia. It runs for the cor of 1/4 sec.
 79.00 Set a post on Sherman's line for the cor of Grad. Sec.
 4 & 5 from whitts,
 Walnut. 12 in dia. beam. S 42 E 15 1/2 the dist. to,
 Do. 48 " " " " N 35 W 13 " "
 80.40 Intersect N. Boundary 500 yds. W. of post. F
 Sand hilly 2nd rate; Timber Oak, Buck & c.

North Return Dec. 31st 1891 I. 3. N. R. 272nd
 26.00 To a W. Oak. 20 in dia. in the line.
 40.00 To a Sugar 8 in dia. It runs for the cor of 1/4 sec
 57.50 To a Run. 18 " " " " in the line.
 80.00 Set a post for the cor of sec. 29, 30, 31 & 32 from whitts

11/24/91 9 1/2
 11/24/91 10 1/2
 11/24/91 11 1/2
 11/24/91 12 1/2
 11/24/91 13 1/2
 11/24/91 14 1/2
 11/24/91 15 1/2
 11/24/91 16 1/2
 11/24/91 17 1/2
 11/24/91 18 1/2
 11/24/91 19 1/2
 11/24/91 20 1/2
 11/24/91 21 1/2
 11/24/91 22 1/2
 11/24/91 23 1/2
 11/24/91 24 1/2
 11/24/91 25 1/2
 11/24/91 26 1/2
 11/24/91 27 1/2
 11/24/91 28 1/2
 11/24/91 29 1/2
 11/24/91 30 1/2
 11/24/91 31 1/2
 11/24/91 32 1/2

J. N. 3. A. R. N. 272nd Mm. Ind.

North Return Dec 20th 1891 J. 3. N. R. 272nd
 40.00 Set a post for the cor of 1/4 sec from white,
 W Walnut 10 in diam here. N 48 E 7 1/2 lbs ash, 10,
 Buck 11 " " " A 22 N 32 " "
 69.50 To a Poplar 24 in diam in the river.
 80.00 Set a post for the cor of sec 16, 17, 20 & 21 from white,
 Buck 12 in diam here. N 37 N 28 lbs ash, 10,
 10. 10 " " " S 15 E 10 " "
 Sands & timber same as above.

West Return Dec 16th 1891 J. 3. N. R. 272nd
 40.00 Set a post from white,
 Buck 6 in diam here. N 37 N 17 lbs ash, 10,
 10. 13 " " " S 6 N 24 " "
 80.00 Set the post cor of sec 16, 17, 20 & 21
 Same 2nd & 3rd rate; Buck, Oak, & Hb.

North Return Dec 16th 1891 J. 3. N. R. 272nd
 13.00 To a Good Spring corner. 445 N.
 36.25 To a Buck 11 in diam in the river.
 40.00 Set a post for the cor of 1/4 sec. from white,
 Buck 11 in diam here. S 82 N 10 lbs ash, 10,
 66.00 To a Buck 18 in diam in the river.
 80.00 Set a post for the cor of sec 8, 9, 16, 17 from white,
 Sugar 8 in diam here. S 82 E 10 lbs ash, 10,
 Dogwood 7 " " " N 82 N 15 " "
 Sands & timber same as last met.

West Return Dec 9th 1891 J. 3. N. R. 272nd
 40.00 Set a 1/4 sup post from white, Buck 10 in diam
 It was for the cor of 1/4 sec
 80.00 Set the post cor of sec 8, 9, 16 & 17.
 Sand, hilly 22nd rate; Timber Oak & some Buck

J. N. 3. A. R. N. 272nd Mm. Ind.

North Return Dec 8th 1891 J. 3. N. R. 272nd
 31.85 To a Sugar 15 in diam in the river
 40.00 Set a post from white,
 Poplar 8 in diam here. S 87 N 9 lbs ash, 10,
 10. - " " " " N 47 N 23 " "
 77.75 To a Hick 18 in diam in the river.
 80.00 Set a post for the cor of sec 4, 5, 8 & 9 from white,
 Sugar 9 in diam here. N 17 E 23 lbs ash, 10,
 10. 7 " " " S 14 E 16 " "
 Sands ends timber same as last met.

West Return Dec 4th 1891 J. 3. N. R. 272nd
 30.00 To a Run 50 yards wide, corner L N.
 40.00 Set a post from white, A Buck 18 in diam.
 It was for the cor of 1/4 sec
 75.00 To a Run 50 yards wide, corner N 45 N.
 80.00 To the post cor of sec 4, 5, 8 & 9
 Sands hilly Timber Buck, Oak, &c. 2nd rate;

North Return Dec 4th 1891 J. 3. N. R. 272nd
 10.00 To a Run 50 yards wide, corner N.
 40.00 To a Sugar 8 in diam It was for the cor of 1/4 sec.
 79.00 Set a post on Truman's line for the cor of frac. Sec.
 4 & 5 from white,
 W Oak 12 in diam here. S 42 E 15 lbs ash, 10,
 10. 48 " " " " N 35 N 12 " "
 80.40 Infected by boundary survey. 1/2 of post =
 Small hilly, 22nd rate; Timber Oak, Buck &c.

North Return Dec 31st 1891 J. 3. N. R. 272nd
 26.00 To a W. Oak 20 in diam in the river.
 40.00 To a Sugar 8 in diam It was for the cor of 1/4 sec
 57.50 To a Run 18 " " " in the river.
 80.00 Set a post for the cor of sec 29, 30, 31 & 32 from white

Fa. W. Walnut 10 1891 N. 11
a Dogwood 6 1891 E 16

See.

J. N. 3. N. R. N. 27 2nd Mm. Ind.

A. Poplar 8 in diam. beam 128 N. 24 lbs. ash, 12,
 Do. — " " " 168 N. 33, "
 Sand hills, 1st rate, Some few Oak, 2

West Return Jan 29 1830 J. N. R. 27.
 1.00 To a small drain Come 1.
 40.00 Set a post from white,
 Bech. 10 in diam. beam 155 N. 24 lbs. ash, 12,
 Do. 6 " " 53 E. 16, "
 80.00 Hit the post on of 29. 30. 31 1830
 Sand 3rd rate Bech, 1 Oak, Hills;

West Return Jan 30 1831 J. N. R. 27.
 40.00 Set a post from white,
 11 Oak 8 in diam. beam North 28 lbs. ash, 12,
 Elm. 13 " " 50 E. 15, "
 80.70 Set out the West Boundary at Bart's post on of
 Jan 25 1836 J. N. R. 3 M. Sand from tarry hills
 Bech. saplings 11 Brins.

North Return Jan 29 1830 J. N. R. 3 M.
 8.00 To a Bech. 12 in diam. in the line.
 40.00 Set a post from white,
 Sassafras 7 in diam. beam 144 E. 12 lbs. ash, 12,
 Ironwood 7 " " 15 N. 8, "
 54.50 To a Poplar. 30 in diam. in the line.
 80.00 Set a post for the cor. of 29. 20. 29 & 30 from white,
 Bech. 9 in diam. beam 130 N. 23 lbs. ash, 12,
 Poplar. 36 " " 17 E. 13, "
 Sand & timber same as last mile.

West Return Jan 20 1829 J. N. R. 27.
 40.00 Set a post from white,

J. N. 3. N. R. N. 27 2nd Mm. Ind.

Bech 6 in diam. beam 167 E. 29 lbs. ash, 12,
 Do. 11 " " 169 N. 24, "
 80.00 Hit the post on of 29. 19. 20. 29 1830

West Return Jan 19 1830 J. N. R. 27.
 40.00 Set a post from white,
 Bech. 10 in diam. beam 172 N. 16 lbs. ash, 12,
 Do. 9 " " 50 E. 12, "
 80.80 Set out the West Boundary at the cor. of 24 1830.
 J. N. R. 3 M. post set by Bartw.
 Sand 3rd rate Bech, 1 Oak, Hills

North Return Jan 19 1830 J. N. R. 27.
 13.00 To a Run. 30 in diam. beam 160 N.
 33.00 To a Bech. 10 in diam. in the line.
 40.00 Set a post from white,
 Bech. 20 in diam. beam 169 E. 30 lbs. ash, 12,
 Poplar. 8 " " 154 N. 19, "
 55.00 To a Bech. 20 in diam. in the line.
 80.00 Set a post for the cor. of 29. 17. 18. 19 & 20 from white,
 Bech. 12 in diam. beam 130 N. 22 lbs. ash, 12,
 Do. 10 " " 52 E. 11, "
 Sand & timber same as last mile. Dec. 20 18

West Return Jan 17 1830 J. N. R. 27.
 40.00 Set a post from white,
 Bech. 8 in diam. beam 136 N. 11 lbs. ash, 12,
 Do. 6 " " 48 E. 7, "
 41.00 To a Brook 8 lbs. run, Course Westerly link
 Kept on the South side of same. Get 1/4 mile.
 80.00 Hit the post on of 17. 18. 19 1830.
 Sand 2nd rate, Oak, Bech, & Poplar.

